

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	112 and fix\$4	6	<u>L13</u>
USPT	18 and ((logical or virtual) near6 (unbacked or released or unused))	6	<u>L12</u>
USPT	110 and ((logical or virtual) near6 (unbacked or released or unused))	6	<u>L11</u>
USPT	18 and (fix\$4 and (logical or virtual))	228	<u>L10</u>
USPT	17 same usage	24	<u>L9</u>
USPT	17 same us\$4	911	<u>L8</u>
USPT	16 near6 (size or amount or capacity)	2460	<u>L7</u>
USPT	15 near6 (var\$5 or dynamic\$4 or chang\$4 or adjust\$4)	29855	<u>L6</u>
USPT	buffer	252581	<u>L5</u>
USPT	13 and (buffer near4 partition\$4)	21	<u>L4</u>
USPT	12 and (storage near4 (fix\$3 or virtual))	371	<u>L3</u>
USPT	11 and (buffer near8 (state or used or page\$4 or fix\$2 or unback\$3 or releas\$3 or valid))	6019	<u>L2</u>
USPT	buffer near2 (pool or plural\$4 or multi\$4)	9217	<u>L1</u>

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	L11 and ((fixed or reserved) with (threshold or value or amount))	16	<u>L12</u>
<u>L11</u>	L10 and ((pageable or virtual or logical) with (threshold or value or amount))	21	<u>L11</u>
<u>L10</u>	L9 and ((var\$4 or allocat\$4 or chang\$4 or alter\$4 or adjust\$4 or modif\$6 or increas\$4 or decreas\$4 or reduc\$4) with (storage or memory) with (level or threshold or maximum or target or compar\$6))	39	<u>L10</u>
<u>L9</u>	L8 and l7	136	<u>L9</u>
<u>L8</u>	(buffer or queue) with (fixed or reserved) with (memory or storage)	1454	<u>L8</u>
<u>L7</u>	(buffer or queue) with (pageable or virtual or logical) with (memory or storage)	1963	<u>L7</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	L5 and ((pageable or virtual or logical) with (threshold or value or amount))	40	<u>L6</u>
<u>L5</u>	L4 and ((fixed or reserved) with (threshold or value or amount))	55	<u>L5</u>
<u>L4</u>	L3 and ((var\$4 or allocat\$4 or chang\$4 or alter\$4 or adjust\$4 or modif\$6 or increas\$4 or decreas\$4 or reduc\$4) with (storage or memory) with (level or threshold or maximum or target or compar\$6))	104	<u>L4</u>
<u>L3</u>	L2 and l1	320	<u>L3</u>
<u>L2</u>	(buffer or queue) with (fixed or reserved) with (memory or storage)	2689	<u>L2</u>
<u>L1</u>	(buffer or queue) with (pageable or virtual or logical) with (memory or storage)	3387	<u>L1</u>

END OF SEARCH HISTORY

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L11</u>	L10 and ((var\$4 or alter\$4 or chang\$5 or adjust\$4 or modif\$8) near6 (storage or memory or buffer or queue) near8 (compar\$6 or equal\$4 or different or similar))	34	<u>L11</u>
<u>L10</u>	L9 and l8	316	<u>L10</u>
<u>L9</u>	(buffer or queue) near8 (fixed or reserved)	5412	<u>L9</u>
<u>L8</u>	(buffer or queue) near8 (pageable or virtual or logical)	4084	<u>L8</u>

DB=USPT; PLUR=YES; OP=ADJ

<u>L7</u>	L5 and ((var\$4 or alter\$4 or chang\$5 or adjust\$4 or modif\$8) near6 (storage or memory or buffer or queue) near8 (compar\$6 or equal\$4 or different or similar))	21	<u>L7</u>
<u>L6</u>	L5 and ((var\$4 or alter\$4 or chang\$5 or adjust\$4 or modif\$8) near6 (storage or memory or buffer or queue))	193	<u>L6</u>
<u>L5</u>	L4 and ((pageable or virtual or logical) near8 (target or maximum or value or level or threshold))	226	<u>L5</u>
<u>L4</u>	L3 and ((fixed or reserved) near8 (target or maximum or value or level or threshold))	380	<u>L4</u>
<u>L3</u>	L2 and l1	995	<u>L3</u>
<u>L2</u>	(buffer or queue) near8 (fixed or reserved)	7829	<u>L2</u>
<u>L1</u>	(buffer or queue) near8 (pageable or virtual or logical)	6959	<u>L1</u>

END OF SEARCH HISTORY

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L17</u>	L16 and ((var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8) near8 ((fixed or reserved) near3 (memory or storage)))	1	<u>L17</u>
<u>L16</u>	L15 and ((var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8) near8 ((pageable or virtual or logical) near3 (memory or storage)))	6	<u>L16</u>
<u>L15</u>	L14 and ((var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8) same (us\$3 or utili\$6 or allocat\$4) same ((maximum or target or threshold or compar\$6 or level) near4 value))	45	<u>L15</u>
<u>L14</u>	L13 and ((pageable or logical or virtual) near4 (storage or memory))	608	<u>L14</u>
<u>L13</u>	L12 and ((fixed or reserved) near4 (storage or memory or buffer))	4418	<u>L13</u>
<u>L12</u>	(storage or memory or buffer) near6 (var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8 or manag\$6)	144354	<u>L12</u>

DB=USPT; PLUR=YES; OP=ADJ

<u>L11</u>	L10 and ((var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8) near8 ((pageable or virtual or logical) near3 (memory or storage)))	2	<u>L11</u>
<u>L10</u>	L9 and ((var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8) near8 ((fixed or reserved) near3 (memory or storage)))	12	<u>L10</u>
<u>L9</u>	L8 and ((var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8) same (us\$3 or utili\$6 or allocat\$4) same ((maximum or target or threshold or compar\$6 or level) near4 value))	178	<u>L9</u>
<u>L8</u>	L7 and ((pageable or logical or virtual) near4 (storage or memory))	2310	<u>L8</u>
<u>L7</u>	L6 and ((fixed or reserved) near4 (storage or memory))	11274	<u>L7</u>
<u>L6</u>	(storage or memory) near6 (var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8 or manag\$6)	133991	<u>L6</u>
<u>L5</u>	L3 and ((target or threshold or compar\$6 or value) with (var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8))	32	<u>L5</u>
<u>L4</u>	L3 and ((target or threshold or compar\$6) with (var\$6 or chang\$4 or adjust\$4 or alter\$4 or modif\$8))	11	<u>L4</u>
<u>L3</u>	L2 and l1	57	<u>L3</u>
<u>L2</u>	(buffer or queue) near8 ((pageable or virtual or logical) near3 (memory or storage))	1238	<u>L2</u>
<u>L1</u>	(buffer or queue) near8 ((fixed or reserved) near3 (memory or storage))	951	<u>L1</u>

END OF SEARCH HISTORY